



Prijava



Katalog

Podrška

Search HP Support



Prijava

## HP Compaq Pro 4300 All-in-One PC Product Specifications

- Product description
- Product features
- Display panel specifications
- Physical specifications
- Environmental specifications
- Safety certifications
- Software/OS
- Warranty information

### Product description



The HP Compaq Pro 4300 all-in-one is HP's most space-efficient commercial all-in-one built for business-class performance with the latest PC technologies. It features a 20-inch diagonal, LED backlit display and is powered by third-generation Intel Core processors and Intel HD Graphics.

### Product features

Feature	Description
Processor	<ul style="list-style-type: none"><li>Intel Core i7-3770S with Intel HD Graphics 4000 (3.10 GHz, 8MB cache, 4 cores) 8 threads, 65 W</li><li>Intel Core i5-3570S with Intel HD Graphics 2500 (3.10 GHz, 6MB cache, 4 cores) 4 threads, 65 W</li><li>Intel Core i5-3475S with Intel HD Graphics 4000 (2.90 GHz, 6MB cache, 4 cores) 4 threads, 65 W</li><li>Intel Core i5-3470S with Intel HD Graphics 2500 (2.90 GHz, 6MB cache, 4 cores) 4 threads, 65 W</li><li>Intel Core i3-2130 with Intel HD Graphics 2000 (3.40 GHz, 3MB cache, 2 cores) 4 threads, 65 W</li><li>Intel Core i3-2120 with Intel HD Graphics 2000 (3.30 GHz, 3MB cache, 2 cores) 4 threads, 65 W</li><li>Intel Pentium G870 with Intel HD Graphics (3.10 GHz, 3MB cache, 2 cores) 2 threads, 65 W</li><li>Intel Pentium G860 with Intel HD Graphics (3.00 GHz, 3MB cache, 2 cores) 2 threads, 65 W</li><li>Intel Pentium G640 with Intel HD Graphics (2.80 GHz, 3MB cache, 2 cores) 2 threads, 65 W</li><li>Intel Celeron G550 with Intel HD Graphics (2.60 GHz, 2MB cache, 2 cores) 2 threads, 65 W</li><li>Intel Celeron G540 with Intel HD Graphics (2.50 GHz, 2MB cache, 2 cores) 2 threads, 65 W</li><li>Intel Celeron G460 with Intel HD Graphics (1.80 GHz, 1.5MB cache, 1 core) 2 threads, 65 W</li></ul>
Chipset	Intel H61 Express

Give Feedback



Need Help?



Feature	Description
Graphics <sup>1</sup>	<b>Intel HD Graphics:</b> Basic, 2000, 2500, or 4000
Display	<ul style="list-style-type: none"><li>• 20-inch diagonal TN widescreen WLED backlit anti-glare LCD</li><li>• Optional integrated 1.3 MP webcam and single non-array microphone</li><li>• Maximum resolution of 1600 x 900</li></ul>
SATA Hard drive	<ul style="list-style-type: none"><li>• 250GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV</li><li>• 500GB, 7200 rpm, SATA 6.0 Gb/s, SMART IV</li><li>• 1TB, 7200 rpm, SATA 6.0 Gb/s, SMART IV</li></ul>
Solid state drive	<ul style="list-style-type: none"><li>• 120GB, SATA, Solid state drive</li><li>• 128GB, SATA, Solid state drive</li></ul>
Self-Encrypting solid state drive	256GB, SATA, Self-Encrypting solid state drive
Optical disc drive	<ul style="list-style-type: none"><li>• Slim Tray-load SATA DVD-ROM</li><li>• Slim Tray-load SATA SuperMulti DVD Writer</li><li>• No included ODD</li></ul>
Media card reader	HP 6-in-1 (Supports Secure Digital (SD, SDHC), MultiMedia Card (MMC), xD-Picture Card, Memory Stick, Memory Stick Pro)
Memory <sup>2</sup>	Non-ECC, DDR3 SDRAM, 1600 MHz, SODIMM (runs at 1333 MHz due to chipset)
Maximum memory supported	16GB
Number of memory slots	2 (204-pin supporting dual-channel memory)
Networking/Communications	<ul style="list-style-type: none"><li>• <b>Ethernet (RJ-45):</b> Integrated Realtek RTL8111F GbE 10/100/1000</li><li>• <b>Wireless:</b><ul style="list-style-type: none"><li>• Intel 802.11 a/b/g/n wireless 6205 PCIe minicard (optional)</li><li>• HP 802.11 a/b/g/n wireless minicard with Bluetooth Combo (optional)</li></ul></li></ul>

Give Feedback



Need Help?

Feature	Description
Audio/Multimedia	<ul style="list-style-type: none"><li>• Realtek ALC269 codec</li><li>• Integrated business class 2.0 speakers (2W x 2) with Basic Business Audio</li><li>• Volume control and mute buttons</li><li>• Stereo headphone jack</li><li>• Microphone in</li><li>• Stereo line out</li><li>• Optional integrated 1.3 MP webcam and Single Non-Array Microphone - Up to 30 f/s</li><li>• Business quality speakers</li></ul>
Ports	<ul style="list-style-type: none"><li>• Six USB 2.0 (Two side, four rear)</li><li>• One microphone in (side)</li><li>• One headphone jack (side)</li><li>• One serial RS-232 (rear)</li><li>• One stereo audio line out (rear)</li><li>• One power connector (rear)</li><li>• One RJ-45 (rear)</li><li>• One 6-in-1 Media card reader</li></ul>
Slots	One optional mini PCIe half-length (used by optional wireless LAN module)
Security	<ul style="list-style-type: none"><li>• Security lock slot</li><li>• HP Keyed cable lock</li></ul>
Power	External 150 W, 87% efficient, active PFC
Warranty	The standard HP Limited warranty term is 1/1/1 with 3 years parts availability. Some countries may offer terms up to 3/3/3 with 3 years parts availability.

**NOTE: 1:** Models with Intel Core i3/i5/i7 processors include HD 2000, 2500, or 4000 graphics. Models with Pentium or Celeron processors include HD graphics. Please see specific processors for graphics configuration. **2:** Maximized dual-channel performance requires SODIMMs of the same size and speed in both memory slots. Full availability of 4GB or more of memory requires a 64-bit operating system. With Windows 32-bit operating systems, the amount of usable memory is dependent upon your configuration, so that above 3GB all memory may not be available due to system resource requirements.

Give Feedback

Display panel specifications

Specification	Description
---------------	-------------

 Need Help?

Specification	Description
Type	TN (Twisted Nematic) LED Backlit LCD
Viewable image area (Horizontal and vertical)	442.8 × 249.075 mm
Screen opening (Horizontal and vertical)	446.8 × 253.2 mm
Resolution	1600 × 900
Aspect ratio	16:9
Contrast ratio (typical)	1000:1
Brightness (typical)	250 cd/m <sup>2</sup> (nits)
Viewing angle (typical Left/Right/Up/Down)	85/85/80/80
Pixel pitch (Height and width)	0.27675 × 0.27675 mm
Backlight lamp life (to half brightness)	30,000 hours minimum
Color support	Over 16 million colors (through FRM)
Color gamut (typical)	72%
Anti-glare	Yes
Default color temperature	Warm (6500 K)
Adjustable tilt stand/tilt angle	-5° to +25° to the vertical plane

Give Feedback



Need Help?

▼

Specification	Description
Supported display modes and resolutions	<ul style="list-style-type: none"><li>• 1600 x 900</li><li>• 1440 x 900</li><li>• 1366 x 768</li><li>• 1360 x 768</li><li>• 1280 x 800</li><li>• 1280 x 768</li><li>• 1280 x 720</li><li>• 1280 x 600</li><li>• 1152 x 864</li><li>• 1024 x 768</li><li>• 800 x 600</li></ul>

Physical specifications

Specification	Description
Dimensions (W x D x H)	<ul style="list-style-type: none"><li>• <b>With stand:</b> 50.7 x 22 x 40.6 cm (20 x 8.66 x 16 in)</li><li>• <b>Without stand:</b> 50.7 x 6.8 X 35.6 cm (20 x 2.7 x 14 in)</li><li>• <b>Shipping carton:</b> 58.6 x 27.8 x 49.4 cm (23.07 x 10.94 x 19.45 in)</li></ul>
Weight	<ul style="list-style-type: none"><li>• <b>With stand:</b> 6.97 kg (15.36 lb)</li><li>• <b>Without stand:</b> 5.73 kg (12.63 lb)</li><li>• <b>With shipping carton:</b> 11.05 kg (24.36 lb)</li></ul>

Environmental specifications

Specification	Description
Operating temperature	5° to 35°C (41° to 95°F)
Non-operating temperature	-30° to +65°C (-22° to +149°F)
Operating relative humidity	15% to 80% at 26°C
Operating altitude	0 to 2000 m (0 to 6500 ft)
Non-operating altitude	0 to 4572 m (0 to 15000 ft)

Give Feedback

Need Help?

Specification	Description
Declared noise emissions (in accordance with ISO 7779 and ISO 9296)	<ul style="list-style-type: none"><li>• <b>Sound power:</b><ul style="list-style-type: none"><li>• <b>LWAd:</b> 3.6 B</li><li>• <b>LpAm:</b> 26 dBA</li></ul></li><li>• <b>Sound pressure:</b><ul style="list-style-type: none"><li>• <b>LWAd:</b> 3.7 B</li><li>• <b>LpAm:</b> 26 dBA</li></ul></li></ul>

Safety certifications

Specification	Description
Industry standard certifications	<ul style="list-style-type: none"><li>• UL</li><li>• CSA</li><li>• FCC compliance</li><li>• Energy star</li><li>• EPEAT silver</li><li>• EUP Lot6 Tier2</li><li>• CCC</li><li>• CECP</li><li>• SEPA</li></ul>

Software/OS

Feature	Description
Operating system preinstalled	<ul style="list-style-type: none"><li>• Genuine Windows 7 Ultimate (32-bit or 64-bit)</li><li>• Genuine Windows 7 Professional (32-bit or 64-bit)</li><li>• Genuine Windows 7 Home Premium (32-bit or 64-bit)</li><li>• Genuine Windows 7 Home Basic (32-bit)</li><li>• FreeDOS</li></ul>
Certified	Novell SUSE Linux Enterprise Desktop 11

Warranty information

Terms of warranty apply to the individual model purchased. To see if your HP product is still in warranty, go to the [HP Product Warranty Check page](#).

Give Feedback

Need Help?



## Additional support options



Try one of our automated tools or diagnostics



Ask a question on our HP Support Community page




Get in touch with one of our support agents



## Enter a topic to search our knowledge library

What can we help you with?



Country/Region:  Croatia

0 nama



Kako kupiti



Podrška



HP-ovi partneri



Need Help?

Give Feedback

Ostanite povezani



[Opozivi](#) | [Recikliranje proizvoda](#) | [Program pristupačnosti tehnologije](#) | [Privatnost](#) | [Izbor kolačića i oglasa](#) | [Prava na osobne podatke](#) | [Uvjeti korištenja](#) | [Izjava o ograničenim jamstvima](#) | [Pravno jamstvo za korisnike](#)

©2024 HP Development Company, L.P. Informacije navedene u ovom dokumentu podložne su promjenama bez prethodne najave.

Give Feedback



Need Help?